



قائمة الاسئلة

الاختبار النهائي للعام الجامعي 2025/2024 مكلية طب الاسنان :: جراحة الفم 3 المستوى الخامس - طب وجراحة الفم والاسنان
د/أكرم ناشر & د/تغريد الكبسي & د/عبدالله فرحان & د/محمد الكليبي & د/ياسر الربيدي

- 1) Healing is rapid in
 - 1) + Eucleation
 - 2) - Marsupilazation
 - 3) - Curettage
 - 4) - Excision
- 2) Always associated with crowns of an erupted teeth is
 - 1) - Keratocyst
 - 2) + Dentigerous cyst
 - 3) - Ameloblastoma
 - 4) - Periapical cyst
- 3) Radicular cyst isodontogenic cyst
 - 1) - Developmental
 - 2) - Non-epithelial
 - 3) - Mucosal
 - 4) + Inflammatory
- 4) Histologic examination of entire cystic lining is not done
 - 1) - Eucleation
 - 2) + Marsupilazation
 - 3) - Curettage
 - 4) - None
- 5) Keratocyst is tendency to recurs the recurrence rate about
 - 1) - High-(10-50)%-H
 - 2) + High-(5-62)%-H
 - 3) - Low-(2-5)%-H
 - 4) - Low-(7-14)%-H
- 6) Treated by marsupilazation
 - 1) - Radicular cyst
 - 2) - Dentigerous cyst
 - 3) + Eruption cyst
 - 4) - Gingival cyst
- 7) Cyst with heart shape radiolucency
 - 1) + Nasoplatine cyst
 - 2) - Nasolabial cyst
 - 3) - Globulomaxillary cyst
 - 4) - Solitary bone cyst
- 8) Cyst may treated by calcitonin injection is
 - 1) - Median bone cyst
 - 2) - Solitary bone cyst
 - 3) + Aneurysmal bone cyst
 - 4) - None
- 9) Infection of a cyst not affected well- defined margin
 - 1) - .TRUE
 - 2) + .FALSE
- 10) Cyst may cause eggshell cracking
 - 1) + .TRUE
 - 2) - .FALSE



- 11) The most common site of oral cancer is
- 1) The lateral border of the tongue
 - 2) The tip of the tongue
 - 3) The dorsum part of the tongue
 - 4) The ventral part of the tongue
- 12) The best modality for discovering distant metastasis of oral cancer in the body is
- 1) Ct scan
 - 2) MRI
 - 3) PET scan
 - 4) Biopsy
- 13) All of the following are correct about the effect of radiotherapy treatment except
- 1) Candidiasis
 - 2) Mucositis
 - 3) Thrombocytopenia
 - 4) None
- 14) Hyperplasia mean
- 1) Tissue show increase in number
 - 2) Tissue show increase in size
 - 3) (Mixed between(Tissue show increase in number and Tissue show increase in size
- 15) Compound odontoma show radiographic as
- 1) Supernumerary teeth
 - 2) Distinguishable tooth like structure
 - 3) Mixed radiolucent and radiopaque
- 16) Leisegang ring are found in
- 1) Odontoma
 - 2) Calcifying epithelial odontogenic tumor
 - 3) Ameloblastoma
- 17) The most common odontogenic tumor that occurs in relation to unerupted tooth in upper anterior is
- 1) Odontogenic myxoma
 - 2) Odontogenic adenomatoid tumor
 - 3) Odontoma
- 18) Dentigerous cyst is likely to cause which neoplasia
- 1) Ameloblastoma
 - 2) Pindborg tumor
 - 3) Ameloblastic fibroma
- 19) Unicentric, non functional, anatomically benign, clinically persistence tumor is
- 1) Odontogenic adenomatoid tumor
 - 2) Ameloblastoma
 - 3) Calcifying epithelial odontogenic tumor
- 20) All consider character of benign tumor except
- 1) Slowly un-growing
 - 2) Non invasive
 - 3) Uninvade to surround tissue
- 21) Ameloblastic fibroma consider
- 1) Mesenchymal origin
 - 2) Mixed origin
 - 3) Epithelial origin
- 22) Excisional biopsy is
- 1) Surgical removal of all lesion with unsafety margins for diagnostic





- 2) - Removal part of lesion with some adjacent normal for comparison
3) Surgical removal of all lesion with safety margins for diagnostic
- 23) Marginal resection mean
- 1) - Resection of the tumor with rim of uninvolved bone with loss of continuity of bone
2) Resection of the tumor with rim of uninvolved bone without loss of continuity of bone
3) - Resection of the tumor with safety margin of uninvolved bone without loss of continuity of bone
- 24) Sinusitis pain is mainly exacerbated when
- 1) - Eating
2) Leaning down
3) - Running
- 25) General Principles Of Reconstruction are the following except one
- 1) - Replace like with like
2) - Keep it simple
3) - Minimize donor site morbidity
4) Delayed reconstruction is better from immediat
- 26) About Graft all the following are true except one
- 1) - It is a piece of tissue from donor site transferred to defect site
2) - Autograft: from the same individual
3) Xenograft from a same individual
4) - Allograft from another individual of the same species
- 27) Bone graft are
- 1) - (rich in osteogenic material) Cancellous
2) - Cortico - cancellous blocks
3) - Cortical block
4) All are false
- 28) In children, common condylar reconstructions is via
- 1) costochondral graft
2) - TMJ prosthesis
3) - reconstruction plate
4) - fibula flap
- 29) Common Free Flap are following except one
- 1) - Radial forearm
2) - Fibula
3) - Anterolateral thigh
4) Medial sural artery perforator (MSAP)