



قائمة الاسئلة

جراحة الفم 2 - () - المستوى الرابع - قسم طب وجراحة الفم والاسنان - الكل - كلية طب وجراحة الفم والاسنان - الفترة الرابعة - درجة الامتحان
دتغريد الكبسي د اكرم ناشر دياسر الربيدي دسام داعر د عبد الله فرحان

- 1) 1/ therapeutic antibiotic mean :
 - 1) a. Treatment and stop spread of infection
 - 2) b. Avoid bacteremia that is anticipated following invasive dental procedures
- 2) 2/ bactericidal in antibiotics mean :
 - 1) a. Kill microbes
 - 2) b. Inhibit growth of microbes
 - 3) c. All above
- 3) 3/ bacteriostatic mean:
 - 1) d. Kill microbes
 - 2) e. Inhibit growth of microbes
 - 3) f. All above
- 4) 4/beta lactam of antibiotics mean have:
 - 1) a. P-lactam ring
 - 2) b. B-lactam ring
 - 3) c. o-lactam ring
- 5) When the broken part of the alveolar bone during tooth extraction
 - 1) a. If small and separated should be suture only
 - 2) b. If small and not separated should be smooth and suture
 - 3) c. If large and separated should be smooth, irrigation and suture
 - 4) d. All are true
- 6) Which type of impacted maxillary 3rd molar is more difficult
 - 1) a. Mesioangular.
 - 2) b. Distoangular.
 - 3) c. Horizontal.
 - 4) d. Vertical.
- 7) All of the following are correct causing impaction except
 - 1) a. Small jaw
 - 2) b. Insufficient space
 - 3) c. Stop of growth
 - 4) d. Malnutrition
- 8) Management of hematoma
 - 1) a. Administration of antibiotics in secondary infection
 - 2) b. Hemostop intravenous injection
 - 3) c. Apply hot compresses first, then cold on the second day
 - 4) d. All uncorrect
- 9) In endocrine theory of impacted tooth
 - 1) a. Not resorption of the anterior border of mandible
 - 2) b. Genetic variations play a major role
 - 3) c. deposition in the anterior border of the ramus
 - 4) d. All uncorrect
- 10) Extraction of primary tooth to allow the eruption of permanent canine
 - 1) a. Four categories are good prognosis
 - 2) b. Two categories are good prognosis and two is average
 - 3) c. Three categories are good prognosis and one is average prognosis
 - 4) d. All correct
- 11) Patient come to your clinic complain from periapical abscess surrounding to lower 8 with trismus





- 1) - Exercise, analgisc and antiinflamatry drugs
 - 2) - Exercise, analgisc and antiinflamatry drugs and hot compresses
 - 3) + Exercise, analgisc and antiinflamatry drugs, hot compresses and antibiotics
 - 4) - All uncorrect
- 12) The pathological theory explain the relationship of impacted tooth and condensation of bone
- 1) + Not resorption of the anterior border of mandible
 - 2) - Genetic variations play a major role
- 13) If sized 2 mm of oroantral communication, treatment consists of suturing the gingiva with a figure eight suture after filling the alveolus with collagen
- 1) - True .
 - 2) + FALSE.
- 14) During oroantral communication, only the patient is informed , and administration of antibiotic, analgisc and nasal decongestant
- 1) - .TRUE
 - 2) + .FALSE
- 15) The mangement of upper 3rd molar displaced in to infratemporal fossa by Caldwell–Luc procedure
- 1) - .TRUE
 - 2) + .FALSE
- 16) Axonotmesis is the gravest type of nerve injury resulting in discontinuation of conduction
- 1) - .TRUE
 - 2) + .FALSE
- 17) One of the following is an absolute contraindication of tooth extraction except
- 1) - Diabetes
 - 2) - Hemophilia
 - 3) - Pneumonia
 - 4) + None of the above
- 18) In multiple teeth extraction; the last tooth should be removed:
- 1) - Right lower first molar
 - 2) - Left lower first molar
 - 3) - Right lower first premolar
 - 4) + Left lower first premolar
- 19) You can do a vertical releasing incision in the mandible except in the area of
- 1) - Lateral incisor
 - 2) + First premolar
 - 3) - First molar
 - 4) - Third molar
- 20) The ideal flap for doing an apicectomy for the upper canine is
- 1) - Envelope flap
 - 2) + Semilunar
 - 3) - Triangular flap
 - 4) - Rhomboid
- 21) Oro-antral communications cause
- 1) - Acute oroantral fistula
 - 2) - Chronic oroantral fistula
 - 3) - Acute oroantral fistula and Chronic oroantral fistula) are true)
 - 4) + Maxillary sinusitis and Chronic oroantral fistula) are true)
- 22) Post operative bleeding occurs within 48h of surgery
- 1) + Reactionary
 - 2) - Primary





- 3) - Secondary
4) - Tertiary
- 23) Main disadvantage is risk of spread of malignant cell is
1) - FNAC
2) - True cut needle biopsy
3) Incisional biopsy
4) - Exfoliative cytology
- 24) Excisional biopsy usually approach from large lesion more than 1 cm in diameter
1) - .TRUE
2) .FALSE
- 25) The best treatment of dry socket is
1) - Stimulation of bleed from surrounding tissue
2) - Suturing
3) - All are true
4) all are false
- 26) The most common intraoperative complication is
1) - Soft tissue injuries
2) - Adjacent teeth injuries
3) - Maxillary sinus perforation
4) Root fracture
- 27) Fibrinolytic alveolitis is
1) - Intraoperative complication
2) Post operative complication
3) - Preoperative complication
4) - All are false
- 28) The surgical principles are except
1) - Sepsis
2) - Traumatic tissue handling
3) Adequate closure
4) - All are false
- 29) The incidence of injury of IAN is higher than injury of lingual nerve after surgical extraction of lower third molar
1) - .TRUE
2) .FALSE
- 30) One of the indication of the biopsy is
1) When inflammatory lesion is not responding to conservative therapy of 2 week
2) - Proximity of lesion to vital structures
3) - Pigmental lesion
4) - Inflammatory lesion of allergic, viral ,fungal or bacterial etiology
- 31) The accuracy of true cut needle biopsy is
1) - 55%
2) - 66%
3) - 77%
4) 88%
- 32) Caldwell luc's operation is
1) Window at the anterior maxillary wall
2) - Window at the lateral maxillary wall
3) - Window at the posterior maxillary wall
4) - All are false





- 33) Mandibular fracture cause
- 1) - Severly atrophic maxilla
 - 2) Excessive force with forceps
 - 3) - All are true
 - 4) - All are false
- 34) Panoramic X-ray is mandatory before any dental procedure
- 1) .TRUE
 - 2) - .FALSE
- 35) chose the rseorbable sutures
- 1) vicryl
 - 2) - prolene
 - 3) - silk
- 36) Which is the most durable suture
- 1) SS
 - 2) - SILK
 - 3) - Pds

