



قائمة الاسئلة

امتحان نهاية الفصل الدراسي الأول - للعام الجامعي 1446 هـ - الموافق -2025/2024م-كلية طب وجراحة الفم والاسنان :: التعويضات المتعددة / نهله الججري

- 1) All are indications For removable partial dentures except
 - 1) - Free end edentulous area
 - 2) short bounded,well formed bone edentulous area
 - 3) - Periodontally weak teeth
 - 4) - Excessive loss of residual bone
- 2) Hazards Of Improperly Designed Partial Dentures include
 - 1) - Accumulation of food
 - 2) - Inflammation
 - 3) - Improper occlusion
 - 4) All
- 3) The extent of the modification is not considered, only the number of additional edentulous areas
 - 1) TRUE.
 - 2) - FALSE.
- 4) The most edentulous area (or areas) always determines the classification
 - 1) - Anterior
 - 2) posterior
 - 3) - middle
 - 4) - lateral
- 5) In classI partial denture ,its preferred to take the post dam to increase the retention
 - 1) TRUE.
 - 2) - FALSE.
- 6) Most popular impression material for partial denture is
 - 1) - znoxide eudenol
 - 2) - compound
 - 3) alginate
 - 4) - plaster impression material
- 7) The stock tray of the partial denture should be
 - 1) - 3-5 mm of clearance with soft tissue
 - 2) - perforated
 - 3) - long flange
 - 4) All
- 8) The completed impression demonstrate any show-through of the tray
 - 1) - should
 - 2) should not
- 9) We should pour the alginate impression in....., to avoid.....
 - 1) - 30 minutes, dehydration
 - 2) 15 minutes, dehydration
 - 3) - 30 minutes, expansion
 - 4) - 15minutes , expansion
- 10) Individual trays are usually best made of
 - 1) cold curing acrylic resin
 - 2) - heat curing acrylic resin
 - 3) - light curing acrylic resin
 - 4) - All
- 11) Two thickness of base plate wax is adapted over the tissue surface and one thickness of baseplate wax is adapted over the teeth to serve as a spacer for impression material



- 1) - TRUE.
 - 2) FALSE.
- 12) Holes are drilled through the partial denture special tray to
- 1) - serve to lock impression material in tray
 - 2) - minimally displacing soft oral tissue
 - 3) - providing relief of the tissues covering the residual ridge
 - 4) All
- 13) Occluded diagnostic casts are used to supplement
- 1) - The degree of overclosure
 - 2) - interocclusal space available
 - 3) - possibilities of interferences
 - 4) All
- 14) For successfully constructed partial denture
- 1) the abutment teeth should be parallel
 - 2) - deep ridge undercuts to increase retention
 - 3) - irregular occlusal plane
 - 4) - thick denture base 4mm
- 15) We determine the survey line with
- 1) carbon marker
 - 2) - undercutgauges
 - 3) - analysing rod
 - 4) - wax trimmer
- 16) Most favorable path of insertion isto the horizontal plane.
- 1) - lateral
 - 2) - medial
 - 3) vertical
 - 4) - anterioposterior
- 17) Proximal tooth surfaces that bear a parallel relationship to one another are
- 1) - undercuts
 - 2) - Interference
 - 3) - Retentive areas
 - 4) Guiding planes
- 18) The prostheses must be designed that it may be inserted and removed without encountering any tooth or tissue interference areas and could be made noninterfering only by
- 1) - Selecting a different path of insertion
 - 2) - Contouring the tooth
 - 3) - Surgery
 - 4) All
- 19) All undesirable undercuts in the denture base should be
- 1) blocked
 - 2) - un blocked
- 20) Individual impression trays(special trays) are constructed on the
- 1) diagnostic cast
 - 2) - secondary cast
 - 3) - master cast
 - 4) - working cast
- 21) All are requirements of record base except
- 1) - rigid





- 2) - adapted to the cast
3) - edges must be smooth and round
4) + must be of uneven thickness
- 22) In sitting of the artificial teeth, they should be
- 1) + with the occlusal plane of the natural teeth
2) - under the occlusal plane of the natural teeth
3) - above the occlusal plane of the natural teeth
4) - none
- 23) Acrylic base contacts the natural teeth lingually the survey line
- 1) - none
2) - under
3) + at or above
4) - all
- 24) Retention of the acrylic partial denture mainly depend on
- 1) - clasps
2) + extension and adaptation of the base
3) - All
4) - None
- 25) labial flange of the denture base of one tooth replacement should extent to the full depth
- 1) - TRUE.
2) + FALSE.

