

قائمة الاسئلة

التعويضات المتحركة الجزئية 2 -الثاني -فني الاسنان- كلية طب الاسنان- درجة الامتحان(25)

د / نهله الجحدري

- 1) In the insertion step, tissue undercuts which blocked with...., can cause interferences
 - 1) + wax
 - 2) plaster
 - 3) all
 - 4) none
- 2) In the isertion step. We should ensure that remaining upper and lower natural teethocclude
 - 1) partially
 - 2) + completely
 - 3) all
 - 4) none
- 3) If we have upper and lower dentures in the same patient, we do insertion......
 - 1) + upper alone then lower alone, finally two together
 - 2) two together from the beginning
 - 3) all
 - 4) none
- 4) We check the occlusion in the insertion step with
 - 1) pressure indicating paste(PIP)
 - 2) + articulating paper
 - 3) WAX
 - 4) none
- 5) We equilibrate occlusion in the insertion step until........
 - 1) all natural teeth contac in their normal occlusion
 - 2) all artificial teeth contact
 - 3) + all
 - 4) none
- No need for technician to deliver the denture to the dentist with the cast
 - 1) TRUE.
 - 2) + FALSE.
- 7) If the fitting surface of the denture causing pain to the patient(pressure areas), we do.....
 - 1) remove the pressure area directly as the patient mentioned
 - 2) + be sure of the area first by PIP, then remove it
 - 3) all
 - 4) none
- 8) The clasp may cause interfere in the insertion, and may we need to remove it to do the insertion because of.......
 - 1) we did the clasp without blockage of the undercut
 - 2) we did block the undercut but with wax
 - 3) + all
 - 4) none
- 9) If we loose adaptation of the denture we do
 - 1) rebasing
 - 2) + relining
 - 3) repair
 - 4) none
- 10) We do relining in the lab with

1/3 الصفحة



- 1) cold cure acrylic
- 2) + heat cure acrylic
- 3) all
- 4) none
- 11) After relining, rebasing and repair, we need to do
 - 1) + minor occlusal adjustments
 - 2) major occlusal adjustments
 - 3) all
 - 4) none
- 12) Indication of rebasing include
 - 1) Under extension of denture flange
 - 2) Fracture of denture base
 - 3) Staining or discolouration of denture base
 - 4) + all
- 13) The broken segments of the partial denture are dovetailed along the fracture line to provide
 - 1) + retention for the new resin
 - 2) aesthetic to the new resin
 - 3) smoothness to the new resin
 - 4) None of the above
- 14) In repair before reassembling the pieces of denture and held them in position with sticky wax, The Cast is painted with
 - 1) acrylic
 - 2) + separating medium
 - 3) wax
 - 4) all
- 15) In repairing procedures we use
 - 1) + cold cure acrylic powder with heat monomer
 - 2) heat cure acrylic powder with cold monomer
 - 3) cold cure acrylic powder and monomer
 - 4) heat cure acrylic powder and monomer
- 16) We mainly need an accurate opposing cast and a jaw relation record in the replacement of
 - 1) anterior denture teeth
 - 2) + posterior denture teeth
 - 3) all
 - 4) none
- 17) We can avoid clasp fracture by locating clasp arms only where an acceptable of retention
 - 1) + minimum
 - 2) maximum
 - 3) all
 - 4) none
- 18) In clasp repair, we take the impression with
 - 1) the denture it self only
 - 2) + astock tray with alginate over the denture
 - 3) no need for an impression
 - 4) none
- 19) it used as an intermediate therapy until the permanent prosthesis is fabricated
 - 1) Treatment acrylic partial denture
 - 2) Transitional partial denture
 - 3) + interim partial denture

2 / 2 الصفحة



- 4) none
- 20) used as a splint following oral surgical procedures
 - 1) + Treatment acrylic partial denture
 - 2) Transitional partial denture
 - 3) interim partial denture
 - 4) none
- 21) The spoon denture is a tissue supported denture ,we don't use clasps
 - 1) + TRUE.
 - 2) FALSE.
- 22) Indicated for class 3 with many modifications and with not good abutment
 - 1) Spoon denture
 - 2) + Every's denture
 - 3) immediate denture
 - 4) none
- 23) We insert this denture exactly after teeth extraction
 - 1) Spoon denture
 - 2) Every's denture
 - 3) + immediate denture
 - 4) none
- We can do an adapted base without any teeth replacement to act as avehicle to carry tissue treatment material
 - 1) + TRUE.
 - 2) FALSE.
- 25) Contraindications of relining include
 - 1) Dentures with major speech problem
 - 2) Presence of severe osseous undercuts
 - 3) Presence of abused soft tissues
 - 4) + 311