



قائمة الاسئلة 2025-04-13 08:53

التعويضات المتحركة الكاملة 2 المستوى الثاني - فني أسنان

د. نظرة العلواني

- 1) It is the line that extends from the center of the tragus of the ear to the lower border of the ala of the nose
  - 1) - Frankfort line
  - 2) ☒ Camper line
  - 3) - Interpupillary line
  - 4) - None
- 2) it is curved line that passes between the tip of the lower canine through the tips of the buccal cusps of the lower posterior teeth
  - 1) ☒ Curve of spee
  - 2) - Curve of wilson
  - 3) - Curve of moson
  - 4) - None
- 3) Determinants of the orientation of occlusal plane (The height of the upper rim) is
  - 1) - The lip line
  - 2) - The anterior plane
  - 3) - Camper's plane
  - 4) ☒ All
- 4) Selection of anterior teeth could be obtained from pre-extraction records which include
  - 1) - Pre-extraction photograph
  - 2) - Previous diagnostic casts
  - 3) - Preserved extracted teeth
  - 4) ☒ All
- 5) The younger the patient , the ----- the tooth shade is preferred
  - 1) - Draker
  - 2) ☒ Lighter
  - 3) - yellowish
  - 4) - None
- 6) :Semi anatomic teeth
  - 1) - Easy to obtain balanced occlusion
  - 2) - Generate less horizontal force
  - 3) - used in well formed alveolar ridge
  - 4) ☒ All
- 7) When there is well formed rige and more interarch space ,the teeth preferred is
  - 1) - Acrylic
  - 2) ☒ Porcelain
  - 3) - Composite
  - 4) - None
- 8) The preferred teeth to be used in patients with highly resorbed ridges and poor neuromascular control is
  - 1) - Anatomic teeth
  - 2) ☒ Non anatomic teeth
  - 3) - Semi anatomic teeth
  - 4) - All
- 9) All are primary stress bearing areas except
  - 1) - Hard palae
  - 2) - Buccal shelf



- 3) ☒ Rugea area
- 4) ☐ Retromolar pad area
- 10) Wax elemination procedures takes
- 1) ☐ More than 20 minutes
- 2) ☒ for 3-5 minutes
- 3) ☐ More than 30 minutes
- 4) ☐ None
- 11) Heat processing cycle at 72-75 F for 8 hours considered as
- 1) ☒ Long term cycle
- 2) ☐ Short term cycle
- 3) ☐ Medium term cycle
- 4) ☐ None
- 12) The mesiolingual cusps of the maxillary first molar
- 1) ☒ Touch the occlusal plane
- 2) ☐ Raised 0.5 mm
- 3) ☐ Raised 1 mm
- 4) ☐ None
- 13) The distobuccal cusp of the maxillary first molar
- 1) ☐ Touch the occlusal plane
- 2) ☐ Raised 0.5 mm
- 3) ☒ Raised 1 mm
- 4) ☐ None
- 14) The anatomical landmark that is important in the arrangement of mandibular posterior teeth is
- 1) ☒ Retromolar pad area
- 2) ☐ Genial tubercle
- 3) ☐ Buccal shelf
- 4) ☐ None
- 15) carving the denture base to create natural tissues contours in the denture is called
- 1) ☒ Festooning
- 2) ☐ Stippling
- 3) ☐ All
- 4) ☐ None
- 16) The ideal stage to pack the mould is
- 1) ☒ The dough stage
- 2) ☐ The stringy stage
- 3) ☐ The plastic stage
- 4) ☐ None
- 17) The function of the posterior palatal seal is
- 1) ☐ To aid in balanced occlusion
- 2) ☐ To aid in insertion and removal of complete denture
- 3) ☒ To ensure a complete seal by increasing atmospheric pressure to help retention of a denture
- 4) ☐ Retention of mandibular denture by sealing its posterior margin
- 18) Post dam area serves mainly to
- 1) ☐ Prevent ingress of food and saliva beneath denture base
- 2) ☐ Prevent lifting away of denture during incising
- 3) ☐ Stabilize the denture
- 4) ☒ All
- 19) Sensitive areas to be relived in the mandible are except
- 1) ☐ Mental foramen



- 2) - Thin mucosa directly covers sharp mylohyoid ridge
  - 3) + Median raphe
  - 4) - Thin wiry ridges
- 20) Denture processing procedures
- 1) - Wax elimination
  - 2) - Packing of the mould
  - 3) - Curing
  - 4) + All

