



قائمة الاسئلة 2025-05-19 06:52

أطقم كاملة-6-الرابع-تكنولوجيا صناعة الاسنان- كلية طب الاسنان-درجة الامتحان (20)

د. نظرة العلواني

- 1) Lifting of the denture and sore throat in the soft palate are patient complaints after insertion due to
 - 1) ☒ Overextension of periphery
 - 2) ☐ Underextension of periphery
 - 3) ☐ Undercut
 - 4) ☐ None
- 2) Faulty set up of the teeth in relation to neutral zone leads to
 - 1) ☐ Tongue biting
 - 2) ☐ Cheek biting
 - 3) ☒ Both
 - 4) ☐ None
- 3) Pain in Temporomandibular Joint after complete denture insertion Caused by
 - 1) ☐ Insufficient vertical dimension of occlusion.
 - 2) ☐ Centric occlusion not in harmony with centric relation
 - 3) ☐ Arthritis
 - 4) ☒ All
- 4) What are the major cause of the fracture of a new denture
 - 1) ☒ Kept in hot climate
 - 2) ☐ Kept in water
 - 3) ☐ None
 - 4) ☐ All
- 5) Maxillary denture drops when the mouth is first opened to insert or bite food
 - 1) ☐ Overextension periphery
 - 2) ☐ The denture flanges are unnecessary thick
 - 3) ☐ Improper relief of the frenum
 - 4) ☒ All
- 6) Indication of surgical preprosthetic rehabilitation
 - 1) ☐ Maxillary and mandibular tori
 - 2) ☐ Bony exostosis
 - 3) ☐ Presence of root stump or cyst
 - 4) ☒ All
- 7) The advantages of CAD/CAM technology in complete denture is
 - 1) ☐ Reducing the number of visits
 - 2) ☐ Reproducibility
 - 3) ☐ Precision
 - 4) ☒ All
- 8) The disadvantages of CAD/CAM technology in complete denture is
 - 1) ☒ Missed trial insertion appointment
 - 2) ☐ Reduced chair time
 - 3) ☐ No retention
 - 4) ☐ All
- 9) The digital denture base is milled from a Pre-polymerized resin block this technique is known as
 - 1) ☐ Additive method
 - 2) ☒ Subtractive method
 - 3) ☐ Compressed method
 - 4) ☐ None



- 10) Three dimensional printing of complete denture known as
- 1) ☒ Additive method
 - 2) ☐ Subtractive method
 - 3) ☐ Compressed method
 - 4) ☐ None
- 11) When The artificial teeth are milled with the prosthesis, this is called
- 1) ☐ Milled denture
 - 2) ☒ Monolithic denture
 - 3) ☐ 3D denture
 - 4) ☐ None
- 12) Extraoral scanner can be used in
- 1) ☒ Dental laboratory
 - 2) ☐ Dental Clinic
 - 3) ☐ Both
 - 4) ☐ None
- 13) The retaining forces of adhesion and cohesion that affect denture retention depend upon:
- 1) ☐ The shape and size of the denture bearing area
 - 2) ☐ How clean is the fitting surface
 - 3) ☐ Direction of disspacing force
 - 4) ☒ All
- 14) The greater arch size, the more the support
- 1) ☒ The larger the retention
 - 2) ☐ The lesser the retention
 - 3) ☐ The larger the displacement
 - 4) ☐ None
- 15) The arch form that indicates favorable prognosis of retension is
- 1) ☒ Square
 - 2) ☐ Tapered
 - 3) ☐ Round
 - 4) ☐ All
- 16) Factors that affect denture retension like undercut areas, occlusion and contour of denture bases considered as
- 1) ☒ Mechanical factors
 - 2) ☐ Physiologic factors
 - 3) ☐ Physical factors
 - 4) ☐ None
- 17) Indication of characterization of denture base
- 1) ☒ Patients with active upper lip
 - 2) ☐ Patients with low smile line
 - 3) ☐ Patients with long lip
 - 4) ☐ None
- 18) Tooth brush and offset bur techniques can be used to create
- 1) ☒ Stippling
 - 2) ☐ Festooning
 - 3) ☐ Carving
 - 4) ☐ None
- 19) powder / liquid ratio of acrylic resin is 3:1 by the volume, If it is too high
- 1) ☒ The resin will be granular
 - 2) ☐ There will be greater shrinkage
 - 3) ☐ The resin will be sticky



- 4) - None
- 20) In correctly proportioned acrylic dough, the shrinkage is about
- 1) + 7%
- 2) - 10%
- 3) - 8%
- 4) - None