



قائمة الاسئلة 2025-05-13 05:01

المداواة الترميمية2-الرابع-طب وجراحة الاسنان- كلية طب وجراحة الفم والاسنان-درجة الامتحان(40)

دعبد الوهاب الخولاني

- 1) 1. What is a common cause of intrinsic tooth discoloration?
 - 1) - A) Poor oral hygiene
 - 2) + B) Excessive fluoride exposure
 - 3) - C) Smoking
 - 4) - D) Consumption of coffee
- 2) 2. Which of the following is a common method for internal tooth bleaching?
 - 1) - A) Dental bonding
 - 2) + B) Place a thick paste of H₂O₂/Na Perborate
 - 3) - D) Dental crowns
- 3) 3. What is a common side effect of teeth whitening treatments?
 - 1) - A) Gum bleeding
 - 2) + B) Tooth sensitivity
 - 3) - C) Increased plaque buildup
 - 4) - D) Bad breath
- 4) 4. Which type of discoloration is typically treated with veneers?
 - 1) - A) Extrinsic discoloration
 - 2) + B) Intrinsic discoloration
 - 3) - C) Age-related discoloration
 - 4) - D) All of the above
- 5) 5. What is the purpose of a whitening tray in at-home whitening kits?
 - 1) - A) To protect the gums
 - 2) + B) To hold the whitening gel in place
 - 3) - C) To enhance the flavor of the gel
 - 4) - D) To prevent tooth decay
- 6) 6. Which of the following substances is most commonly used in teeth whitening products?
 - 1) + A) Hydrogen peroxide
 - 2) - B) Sodium fluoride
 - 3) - C) Potassium nitrate
 - 4) - D) Calcium carbonate
- 7) 7. Which of the following is an alternative treatment for discolored teeth that does not involve whitening?
 - 1) - A) Dental implants
 - 2) + B) Veneers
 - 3) - C) Teeth whitening gel
 - 4) - D) Mouthwash
- 8) 8. What is the best way to maintain the results of teeth whitening?
 - 1) - A) Avoid all foods and drinks
 - 2) + B) Regular dental check-ups and cleanings
 - 3) - C) Use whitening toothpaste only
 - 4) - D) Brush teeth less frequently
- 9) 9. Which of the following foods or drinks is least likely to cause staining on teeth?
 - 1) - A) Coffee
 - 2) - B) Khat chewing
 - 3) + C) Water
- 10) 10. What should be avoided immediately after a tooth whitening procedure?
 - 1) - A) Brushing





- 2) ☒ B) Eating or drinking highly pigmented foods and drinks
3) ☐ C) Using toothpaste
4) ☐ D) Flossing
- 11) 11. What is the primary advantage of using CAD/CAM technology for creating crowns compared to traditional methods?
1) ☐ A) Faster fabrication time
2) ☐ B) Improved fitness
3) ☐ C) Reduced need for multiple appointments
4) ☒ D) All of the above
- 12) 12. CAD/CAM technology can be used to create which of the following restorations?
1) ☐ A) Crowns
2) ☐ B) Bridges
3) ☐ C) Inlays/Onlays
4) ☒ D) All of the above
- 13) 13. What does CAD stand for in the term CAD/CAM?
1) ☒ A) Computer-Aided Design
2) ☐ B) Computer-Aided Diagnosis
3) ☐ C) Computer-Aided Delivery
4) ☐ D) Computer-Aided Denture
- 14) 14. What does CAM stand for in the term CAD/CAM?
1) ☐ A) Computer-Aided Design
2) ☒ B) Computer-Aided Manufacturing
3) ☐ C) Computer-Aided Delivery
4) ☐ D) Computer-Aided Denture
- 15) 15. What types of materials are commonly used in CAD/CAM systems for dental restorations?
1) ☐ A. Gold and silver alloys
2) ☒ B. Composite resins and ceramics
3) ☐ C. Amalgam
4) ☐ D. Acrylic only
- 16) 16. Which of the following is NOT a component of a typical CAD/CAM system?
1) ☐ A) Intraoral scanner
2) ☐ B) 3D printer
3) ☐ C) Milling machine
4) ☒ D) Digital X-ray machine
- 17) 17. What is the primary purpose of an intraoral scanner in CAD/CAM dentistry?
1) ☐ A) To make traditional impressions
2) ☒ B) To create a digital model of the patient's teeth
3) ☐ C) To perform root canal therapy
4) ☐ D) To diagnose periodontal disease
- 18) 18. What is the typical time frame for producing a dental restoration using CAD/CAM technology?
1) ☐ A) Several days
2) ☐ B) A few hours
3) ☐ C) A few weeks
4) ☒ D) Immediate, during the same appointment
- 19) 19. CAD/CAM technology can be used to create restorations that are more:
1) ☐ A) Esthetic
2) ☐ B) Durable
3) ☐ C) Biocompatible
4) ☒ D) All of the above



- 20) 20. What is the first step in the CAD/CAM process for creating a dental restoration?
- 1) - A) Manufacturing restoration
 - 2) - B) Designing the restoration
 - 3) + C) Scanning the patient's teeth
 - 4) - D) Fitting the restoration
- 21) 21. What is the primary cause of edentulism?
- 1) - A) Aging
 - 2) - B) Caries
 - 3) - C) Trauma
 - 4) + D) All of the above
- 22) 22. What is the main advantage of dental implants over traditional dentures?
- 1) - A) Lower cost
 - 2) + B) Improved esthetics and function
 - 3) - C) Easier maintenance
 - 4) - D) No need for surgery
- 23) 23. Which level of education in dental implant training involves live patient mentoring?
- 1) - A) Level 1
 - 2) - B) Level 2
 - 3) - C) Level 3
 - 4) + D) Level 4
- 24) 24. What is the Misch Bone Density Classification used for?
- 1) - A) To classify types of dental implants
 - 2) + B) To assess bone density for implant placement
 - 3) - C) To determine the cost of implants
 - 4) - D) To evaluate patient satisfaction
- 25) 25. What is the minimum required distance between an implant and the inferior alveolar canal?
- 1) - A) 0.5 mm
 - 2) - B) 1 mm
 - 3) + C) 2 mm
 - 4) - D) 5 mm
- 26) 26. What is the key characteristic of flapless implant surgery?
- 1) - A) Requires extensive suturing
 - 2) - B) Higher risk of bleeding
 - 3) + C) Mini-incision technique
 - 4) - D) Longer recovery time
- 27) 27. Which material is most commonly used for dental implants?
- 1) - A) Zirconia
 - 2) - B) PEEK
 - 3) + C) Titanium
 - 4) - D) Stainless Steel
- 28) 28. The part of a dental implant that connects the crown to the fixture is called the:
- 1) + A) Abutment
 - 2) - B) Crown
 - 3) - C) Fixture
 - 4) - D) Gingiva
- 29) 29. The Misch bone density classification system categorizes bone quality into:
- 1) - A) 2 types
 - 2) - B) 3 types
 - 3) + C) 4 types



- 4) - D) 5 types
- 30) 30. A flapless implant surgery involves:
- 1) - A) a) A surgical incision in the gum tissue
 - 2) + B) b) No surgical incision in the gum tissue
 - 3) - C) c) A more invasive procedure
 - 4) - D) d) A longer healing time
- 31) 31. What is a common indication for the use of anterior direct composite veneers?
- 1) - A) Severe tooth decay
 - 2) - B) Malocclusion
 - 3) + C) Discoloration of teeth
 - 4) - D) Periodontal disease
- 32) 32. What is the primary advantage of using direct composite veneers compared to indirect veneers?
- 1) - A) They are more durable.
 - 2) + B) They require less tooth preparation.
 - 3) - C) They are less expensive.
 - 4) - D) They are easier to shade match.
- 33) 33. Which of the following is a disadvantage of anterior direct composite veneers?
- 1) - A) High cost
 - 2) + B) Susceptibility to staining
 - 3) - C) Long-lasting durability
 - 4) - D) Minimal tooth preparation required
- 34) 34. Which bonding agent is commonly used in the application of direct composite veneers?
- 1) + A) Self-etching primer
 - 2) - B) Glass ionomer cement
 - 3) - C) Resin-modified glass ionomer
 - 4) - D) Zinc phosphate cement
- 35) 35. What is the purpose of etching the tooth surface before applying composite veneers?
- 1) - A) To remove decay
 - 2) + B) To create a rough surface for better bonding
 - 3) - C) To whiten the teeth
 - 4) - D) To shape the tooth
- 36) 36. Which of the following factors can cause tooth discoloration that composite veneers can address?
- 1) - A) Aging
 - 2) - B) Smoking
 - 3) - C) Certain foods and beverages
 - 4) + D) All the above
- 37) 37. What is the role of a bonding agent in the veneer application process?
- 1) - A) To etch the tooth surface
 - 2) + B) To create a strong bond between the composite and the tooth
 - 3) - C) To polish the veneer
 - 4) - D) To shade the composite
- 38) 38. How can patients maintain their anterior direct composite veneers?
- 1) - A) By avoiding brushing
 - 2) - B) By using alcohol-based mouthwash
 - 3) + C) By brushing and flossing regularly
 - 4) - D) By consuming more staining foods
- 39) 39. What is the purpose of using a light cure device during the veneer application?
- 1) - A) To dry the teeth
 - 2) + B) To harden the composite resin



- 3) - C) To polish the veneer
4) - D) To etch the tooth
40) 40. What is an important post-operative instruction for patients with newly placed composite veneers?
1) - A) Avoid all foods for 24 hours
2) + B) Avoid hard and sticky foods for a few days
3) - C) Brush immediately after placement
4) - D) Use mouthwash with alcohol