



قائمة الاسئلة

عقاقير طبيه 1 - (1)- المستوى الثالث -قسم عقاقير طبية - الكل - كلية الصيدله - الفترة الثالثه - درجة الامتحان (75)

د.سلوى محمد راجح

- 1) 1- Leaf based crude drug is
 - 1) A- Belladonna
 - 2) B- Clove
 - 3) C- Cinchona
 - 4) D- Vinca
- 2) 1- Bark containing plant drug is.....
 - 1) A- Caster
 - 2) B- Cinchona
 - 3) C- Mango
 - 4) Mustard
- 3) 1- Ginger, which part is used as medicine
 - 1) A- Leaves
 - 2) B- Rhizomes
 - 3) C- Bark
 - 4) D- Root
- 4) Glycyrrhizin the natural sweetener is obtained from
 - 1) a) Liquorice
 - 2) b) Stevia
 - 3) c) Citrus
 - 4) d) Honey
- 5) Which alkaloid is not present in cinchona bark?
 - 1) a) Quinidine
 - 2) b) Quinine
 - 3) c) Quinovin
 - 4) d) Cinchonine
- 6) Family of drug Zingiber officinale:
 - 1) a) Solanaceae
 - 2) b) Umbelliferae
 - 3) c) Zingiberaceae
 - 4) d) Convolvulaceae
- 7) Liquorice is used in the treatment of :
 - 1) a) Conjunctivitis
 - 2) b) Peptic ulcer
 - 3) c) Allergy
 - 4) d) Skin disease
- 8) The synonym of adarak is.....?
 - 1) A. Ginger rhizome
 - 2) B. Curcuma rhizome
 - 3) C. Liquorice root
 - 4) D. None
- 9) Uses of curcuma rhizome is
 - 1) A. Stomachic
 - 2) B. Jaundice
 - 3) C. Antiflatulent
 - 4) D. All of the above





- 10) 10- Uses of ginseng root is.....?
- 1) - A. Tonic
 - 2) - B. Immunomodulatory
 - 3) - C. In cosmetics
 - 4) + D. all above
- 11) 11- The family of dioscorea root.....?
- 1) + Dioscoreaceae
 - 2) - B. Asteraceae
 - 3) - C. Leguminosae
 - 4) - D. Lennoaceae
- 12) 12- Chillies is the synonym of:
- 1) - a. Senega root
 - 2) - b. Chamomile
 - 3) + c. Capsicum
 - 4) - d. ginseng root
- 13) 13- Yam is the synonym of the drug
- 1) + a- Discordia
 - 2) - b- Liquorice
 - 3) - c- safed musali
 - 4) - d- Stropanthus
- 14) 14- what is the family of the Datura stramonium?
- 1) - A- Rubiaceous
 - 2) - B- Apocynaceae
 - 3) + C- Solanaceae
 - 4) - D- Erythroxyllaceae
- 15) 15- The active constituents of Pomegranate
- 1) + A-Iso-pelletierine
 - 2) - B- Tannins and bitter glycoside
 - 3) - C- Eugenol
 - 4) - D-All of above
- 16) 16- The E.O. of family of Myrtaceous family continents of
- 1) - A-Eugenol
 - 2) - B- Resin
 - 3) - C- Triterpene alcohol
 - 4) + D- All above
- 17) 17- Drugs which does not belong to leaves class
- 1) - A- Senna
 - 2) + B- Pomegranate
 - 3) - C- Eucalyptus
 - 4) - D- Digitalis
- 18) 18- Drugs is not under the class of organized drugs:
- 1) - A- Leaves
 - 2) - B- Flowers
 - 3) - C- Fruits
 - 4) + D-Gums
- 19) 19- what is the family of the Scrophulariaceae
- 1) - A- Senna
 - 2) + B- Digitalis
 - 3) - C- Pomegranate





- 4) - D- Liquorice
- 20) 20- Which of the following plants has antiseptic properties?
- 1) a. Eucalyptus
- 2) - b. Ephedra
- 3) - c. Belladonna
- 4) - d. Valerian
- 21) 21- Which of the following drugs contains laxative compounds?
- 1) A) Senna folium
- 2) - B) Hyperici herba
- 3) - C) Urticae radix
- 4) - D) Equiseti herba
- 22) 22- Which of the following drugs contain flavonoids?
- 1) A- Psidium Guava leaves
- 2) - B- Tiliae flowers
- 3) - C- Aloe capensis
- 4) - D- Crataegi folii cum flower
- 23) 23- which of the following is the use of Scrophulariaceae herbal medicine as
- 1) - A- Mydriatic effect
- 2) B- cardio tonic & tone of the cardiac muscle
- 3) - C-Laxative & eczema
- 4) - C- narcotic & sedative effect
- 24) 24- - Senna belongs to the family of
- 1) - A- Euphorbiaceus
- 2) B- Leguminosae
- 3) - C- Plantaginaceae
- 4) - D-Polygonaceous
- 25) 25- - Which plant is a source of quinine?
- 1) - a. Digitalis
- 2) b. Cinchona
- 3) - c. Ephedra
- 4) - d. Belladonna
- 26) 26- Turmeric is used as
- 1) A- Antiseptic
- 2) - B- Laxative
- 3) - C- Carminative
- 4) - D- Antitussive
- 27) 27- Gentian is used as
- 1) - a- Cardiac tonic
- 2) - b- Sweetening agent
- 3) - c- Laxative
- 4) d- Bitter tonic
- 28) 28- Valerian is used in
- 1) - a- Hysteria
- 2) - b- Insomnia
- 3) - c- Palpitation of Heart
- 4) d- All of these
- 29) 29- Ginseng is mainly used as
- 1) - a- Diuretics
- 2) - b- Anti-inflammatory





- 3) - c- Hepatoprotective
4) d- Adaptogenic
- 30) 30- The family is cinchona is
1) A- Rubiaceous
2) - B- Lauraceous
3) - C- Punicaceae
4) - D- All above
- 31) 31- Which of the following is an antimalarial drug?
1) a. Quinine
2) - b. Morphine
3) - c. Atropine
4) - d. Saponin
- 32) 32- What is the active constituent of Belladonna?
1) - a. Hyoscyamine
2) - b. Quinidine
3) - c. Glycyrrhizin
4) d. Atropine
- 33) 33- The specific test for Quinine is:
1) a. Thallepquin
2) - b. Iodine
3) - c. HMNA
4) - d. None
- 34) 34- Bark includes all the tissues that are:
1) - a. Inside the cambium
2) b. Outside the cambium
3) - c. Within the cambium
4) - d. All of the above
- 35) 35- Punicaceae is a family of:
1) - a. Wild cherry bark
2) - b. Cinchona bark
3) c. Pomegranate bark
4) - d. Cinnamon bark
- 36) 36- 10 ml of the filtrate + a drop of ferric chloride gives:
1) a. bluish black
2) - b. Greenish white
3) - c. orange brown
4) - d. purple black
- 37) 37- Cinnamon and Cassia have the same family, which is:
1) a. Lauraceae
2) - b. Rubiaceae
3) - c. Punicaceae
4) - d. Solanaceae
- 38) 38- Cinnamaldehyde is used mainly as:
1) a. Sedative
2) - b. Carminative
3) - c. Antispasmodic
4) - d. Antiseptic
- 39) 39- Which compound is responsible for ginger's pungent flavor?
1) - a. Zingerone





- 2) - b. Shagol
3) + c. Gingerol
4) - d. Alpha zingiberene
- 40) 40- The drugs obtained from the direct parts of the plant are called:
1) + a. Organized drugs
2) - b. Unorganized drugs
3) - c. Metabolic drugs
4) - d. All of above
- 41) 41- Which of the following has resins in their chemical constituents?
1) - A) Cinchona
2) + B) Capsicum
3) - C) Opium
4) - D) All of the above
- 42) 42- Which type of pyrethroids has a cyano group?
1) - A) Type I
2) + B) Type II
3) - C) Type III
4) - D) Type IV
- 43) 43- The biological source for Dioscorea
1) + A- D. deltoid
2) - B- D. floribunda
3) - C- D. villosa
4) - D- D. Compositae
- 44) 44- Keller kiliani test is used positive for
1) + A- Digitoxose
2) - B- Gitoxose
3) - C- Digitoxigenin
4) - D- gitoxigenin
- 45) 45- Digitalis leaves should be dried at temperature below
1) - A- 20°C
2) + B- 60°C
3) - C- 40°C
4) - D- 30°C
- 46) 46- when glycyrrhiza is treated with 80% sulphuric acid, then it shows colour
1) - A- Red
2) - B- Green
3) + C- Yellow
4) - D- Violet
- 47) 47- What is a characteristic feature of starch in plants?
1) + a. Iodine test gives blue color
2) - b. It is a protein
3) - c. It dissolves in alcohol
4) - d. It is insoluble in water
- 48) 48- Cinchona bark is used to:
1) - a. Antitussive
2) - b. Cardio-tonics
3) + c. Anti-malarial
4) - d. None of Above
- 49) 49- Quinidine is used for:





-
- 1) a. Antiarrhythmic
2) b. Hypertension
3) c. Antihypertensive
4) d. All of above
- 50) 50- The species of the pomegranate bark is:
- 1) a. Granatum
2) b. Prunus serotina
3) c. Punicaceae
4) d. Succirubra

