



قائمة الاسئلة

علم الادوية البيطرية (2) - المستوى الثالث - قسم طب بيطري - عام - كلية الطب البيطري - الفترة الأولى - درجة الامتحان (50)

د. عبدالرقيب الشامي

- 1) Which fluoroquinolones should use in poultry with mycoplasma infections, erysipelas, E. Coli infections, fowl cholera and salmonellosis?
  - 1) - Enrofloxacin
  - 2) - Danofloxacin
  - 3) + Both
  - 4) - None
- 2) Which of the following agents is used to treat ring worm?
  - 1) - Natamycin
  - 2) - Enilconazole
  - 3) - Miconazole
  - 4) + All
- 3) Which of the statement regarding griseofulvin is correct?
  - 1) + It highly teratogenic and must not be used in pregnant animals
  - 2) - The toxic dose is very close to therapeutic dose
  - 3) - It may interfere with antibiotic therapy
  - 4) - It frequently produces allergic reactions
- 4) Which of the following drugs is used in the treatment of R. equi pneumonia in foals?
  - 1) - Isoniazidirifampin with streptomycin
  - 2) + Rifampin with erythromycin
  - 3) - Rifampin with amphotericin B
  - 4) - Rifampin with isoniazid
- 5) Niclosamide is most effective against:
  - 1) + Tape worms
  - 2) - Pin worms
  - 3) - Hook worms
  - 4) - Whip worms
- 6) Which of the following drugs is acts against nematodes of GIT and bronchi for domestic animals.?
  - 1) - Levamisole
  - 2) - Fenbendazole
  - 3) - Oxfendazole
  - 4) + All
- 7) It is used for the treatment and control of internal and external parasites in cattle, sheep, goats, horses.
  - 1) + Ivermectin
  - 2) - Albendazole
  - 3) - Thiabendazole
  - 4) - All
- 8) One of the following is effective against liver flukes in ruminants
  - 1) - Niclosamide
  - 2) - Piperazine
  - 3) + Rafoxanide
  - 4) - All
- 9) It is recommended for prophylaxis and treatment of babesiasis and anaplasmosis.
  - 1) - Emetine
  - 2) - Metronidazole
  - 3) + Imidocarb





- 4) - None
- 10) Which of the following drugs is used for treatment and prevention of coccidiosis in poultry?
- 1)  Amprolium
  - 2) - Emetine
  - 3) - Chloroquine
  - 4) - None
- 11) It is disinfectant used for irritating eyes (4%), Mouth washes.
- 1) - Salicylic acid
  - 2)  Boric acid
  - 3) - Benzoic acid
  - 4) - All
- 12) The antiseptic with antifungal action is
- 1) - benzoyl peroxide
  - 2) - cetrimide
  - 3)  povidone iodine
  - 4) - potassium permanganate
- 13) The new antiseptics are usually compared with
- 1) - Salicylic acid
  - 2)  Phenol
  - 3) - Xylol
  - 4) - Thymol
- 14) Disinfectants are used to eradicate microorganism on:
- 1) - living object mainly
  - 2)  non-living objects mainly
  - 3) - Both
  - 4) - None
- 15) Which of the following agents having no antibacterial activity but show synergism when administrated in combination with Amoxicillin?
- 1) - Augmentin
  - 2) - Timentin
  - 3) - Sultamicillin
  - 4)  Clavulanic acid
- 16) Which of the following fluids is used to treat metabolic acidosis?
- 1)   $\text{NaHCO}_3$
  - 2) -  $\text{NaCl}$
  - 3) - Vinegar
  - 4) - All
- 17) The drug used for treating of ketosis in cattle & pregnant toxemia in sheep is
- 1) - Sodium propionate
  - 2) - Propylene glycol
  - 3) - Glucocorticoids
  - 4)  All
- 18) An example for synergistic antibacterial combination is
- 1) - Penicillin + Tetracycline
  - 2)  Penicillin + Streptomycin
  - 3) - Tetracycline + Fluoroquinolone
  - 4) - Tylosin + Lincomycin
- 19) Which of the following cephalosporins is a third-generation?
- 1) - Cephalexin





- 2) - Cefoxitin  
3)  Ceftriaxone  
4) - Cefamandole
- 20) The drug commonly used in treating brucellosis, usually in combination with rifamycin or streptomycin is  
1) - Amikacin  
2)  Doxycycline  
3) - Lincomycin  
4) - None
- 21) Which one of the following antibiotics lead to aplastic anemia as a side effect?  
1) - Tetracyclines  
2) - Florfenicol  
3) - Thiamphenicol  
4)  Chloramphenicol
- 22) What drug used Locally for treatment superficial infections of eyes and otitis externa and local pseudomonas infections in pet animals.  
1)  Polymyxin B  
2) - Polymyxin E  
3) - Pirlimycin  
4) - None
- 23) The Sulfonamides which can be used for treatment of dermatitis herpetiformis in dogs is  
1) - Sulfasalazine  
2) - Sulphasoxazole  
3) - Silver sulfadiazine  
4)  Dapsone
- 24) Trimethoprim + sulfamethoxazole combination is used to treat a variety of infections in cattle, sheep, goats, horses, dogs and cats. Which of the following infections is NOT treated by it?  
1) - Urinary tract infections  
2) - Enteric infections  
3) - Mycobacterial infection  
4)  Mycoplasma infection
- 25) One of the following drugs NOT recommended in young horses because can cause erosion of cartilage.  
1) - Sulphonamides  
2)  Fluoroquinolones  
3) - Penicillins  
4) - Aminoglycosides

