



قائمة الاسئلة

الجلدية والتناسلية والعمق □ التخصص: طب و جراحة □ - المستوى الدراسي: الخامس - درجة هذا الاختبار (70)

اسم مدرس المادة: أ.د عبدالواسع المخلافي

- 1) Which of the following cells are not part of the stages of normal spermatogenesis:
 - 1) - Spermatogonia.
 - 2) - 2ry spermatocytes.
 - 3) + Leydig cells.
 - 4) - Spermatids.
- 2) Liquefaction of semen occurs mostly via the following gland:
 - 1) - Seminal vesicles.
 - 2) + Prostate gland.
 - 3) - Cowper's glands.
 - 4) - Littre's glands.
- 3) Which of the following is true:
 - 1) - Azoospermia means no semen.
 - 2) - Teratozoospermia means abnormal sperm motility.
 - 3) + Low semen volume and oligospermia are similar terms.
 - 4) - Leucocytospermia means many RBCs in semen.
- 4) Which of the following is false:
 - 1) - Male infertility can be primary or secondary.
 - 2) - Physical examination is important during male infertility evaluation.
 - 3) + Semen analysis is the only needed investigation during male infertility evaluation.
 - 4) - Sexual history is essential during male infertility evaluation.
- 5) Male genito-urinary infection can be detected by:
 - 1) - Urine analysis.
 - 2) - Prostatic discharge analysis.
 - 3) - Semen culture and sensitivity.
 - 4) + All answers are correct.
- 6) Scrotal duplex is an essential tool for evaluation of:
 - 1) - Premature ejaculation.
 - 2) + Male infertility.
 - 3) - Erectile dysfunction.
 - 4) - Priapism.
- 7) Only one of the followings is false regarding low testosterone in males:
 - 1) - Can be termed hypogonadism.
 - 2) + Can cause hypersexuality.
 - 3) - Can cause erectile dysfunction.
 - 4) - Can cause male infertility.
- 8) The best definition of erectile dysfunction could be:
 - 1) + Inability to obtain and/or to maintain an erection sufficient for satisfactory sexual intercourse.
 - 2) - Inability to delay ejaculation long enough during sexual intercourse.
 - 3) - hypo-active sexual desire (loss of sexual desire).
 - 4) - None of the answers is correct.
- 9) The following statements are related to ischemic priapism except:
 - 1) - Can cause penile fibrosis and erectile dysfunction if left untreated.
 - 2) - Associated with painful erection.
 - 3) + Can cause urethral discharge.
 - 4) - It is an andrological emergency.





- 10) Smoking is a risk factor of:
- 1) - Gonorrhoea.
 - 2) Erectile dysfunction.
 - 3) - Abnormal ejaculation.
 - 4) - Peyronie's disease.
- 11) Sildenafil citrate is a phosphodiesterase enzyme 5 inhibitor which:
- 1) - Can be used to treat male infertility.
 - 2) - Can be used safely with patients taking nitrates or nitroglycerins.
 - 3) - Should be taken on full stomach.
 - 4) None of the answers is correct.
- 12) Penile duplex is one of the tools used to detect:
- 1) Penile vascular abnormalities.
 - 2) - Testicular vascular abnormalities.
 - 3) - Prostate gland Abnormalities.
 - 4) - Nocturnal penile erections.
- 13) Which is false about erectile dysfunction?:
- 1) - Can be caused by diabetes mellitus.
 - 2) - Can be organic or psychogenic.
 - 3) Can be treated by varicocelelectomy.
 - 4) - Can be treated by penile prosthesis.
- 14) According to the International Society of Sexual Medicine (ISSM, 2014), the definition of premature ejaculation (PE) is:
- 1) - Inability to delay and control ejaculation more than 10 minutes on all intercourse attempts.
 - 2) - Inability to delay ejaculation long enough to satisfy the partner.
 - 3) Inability to delay and control ejaculation more than 1 minute (in life-long PE) and 3 minutes (in acquired PE), which is associated with negative personal consequences.
 - 4) - Inability to delay and control ejaculation on 50% of intercourse attempts.
- 15) Cardiovascular evaluation is considered mandatory to patients complaining of:
- 1) - Male infertility.
 - 2) - Premature ejaculation.
 - 3) - Painful ejaculation.
 - 4) Progressive course of erectile dysfunction.
- 16) Only one of the following is not an option to treat organic erectile dysfunction:
- 1) - Penile prosthesis.
 - 2) Local application of anesthetic cream.
 - 3) - Phosphodiesterase enzyme 5 inhibitors (PDE5Is).
 - 4) - Intra corporeal injection (ICI) of vasodilator substances.
- 17) All the following are true regarding Intra-Cytoplasmic Sperm Injection (ICSI) except:
- 1) - It is one of the options to overcome male infertility.
 - 2) - It includes the injection of one sperm into the cytoplasm of one ovum.
 - 3) It includes the insemination of a processed semen of husband into his wife's uterus.
 - 4) - It cannot be done if sperms are not available.
- 18) Testicular sperm extraction (TSES) could be a surgical option for patients:
- 1) Complaining of male infertility with azoospermia.
 - 2) - Complaining of premature ejaculation.
 - 3) - Complaining of organic erectile dysfunction.
 - 4) - Complaining of hypogonadotropic hypogonadism.
- 19) Only one of the following statements is true regarding HIV:
- 1) - It contains 2 copies of double stranded RNA.





- 2) It can affect both sexes and all age groups.
- 3) It can't be controlled by antiretroviral therapy.
- 4) It can't be transmitted among men having sex with men (MSM).
- 20) AIDS is the advanced and final stage of HIV infection which is characterized by:
- 1) High levels of viral load and low levels of CD4 T-helper cells.
- 2) Low levels of viral load and high levels of CD4 T-helper cells.
- 3) Equal levels of viral load and CD4 T-helper cells.
- 4) None of the answers is correct.
- 21) Pre-Exposure Prophylaxis (PrEP) using Anti-Retroviral Therapy (ART) against HIV is:
- 1) Recommended for populations who are at higher risk of HIV.
- 2) A course of ART given to HIV positive people.
- 3) Given routinely to all doctors and nurses
- 4) Given to any person susceptible to any viral infection
- 22) Elite controllers are:
- 1) Those who can live longer lives having HIV infection with life long ART treatment.
- 2) Those who can live longer lives having HIV infection without ART treatment depending on their immunity.
- 3) Those who can live longer lives having HIV infection with a short course of ART treatment.
- 4) Those who can live longer lives having HIV infection with intermittent courses of ART treatment.
- 23) The best treatment for neurosyphilis is:
- 1) Benzathine penicillin G 2.4 million units, IM single dose.
- 2) Benzathine penicillin G 2.4 million units, IM/week for 3 weeks.
- 3) Benzathine penicillin G 2.4million units, IM/week for 6 weeks.
- 4) Crystalline penicillin G 3-4 million units IV every 4 hours or continuous infusion, for 10-14 days
- 24) VDRL (Venereal Disease Research Laboratory) Test is:
- 1) Non-specific (non-treponemal) test for diagnosis of syphilis.
- 2) Specific (treponemal) test for diagnosis of syphilis
- 3) Not suitable as screening tool to diagnose syphilis
- 4) Not suitable to be used for following up patients who are treated for syphilis.
- 25) Only one of the followings is false regarding syphilitic chancre:
- 1) It can be genital or extra-genital.
- 2) It is absent in secondary syphilis.
- 3) It is a painful ulcer.
- 4) It can be treated by benzathine penicillin G.
- 26) A freckle is an example of which type of primary skin lesion?
- 1) Lentigo.
- 2) Papule.
- 3) Macule.
- 4) Leukoderma.
- 27) Christmas tree appearance in skin is seen in ?
- 1) Pityriasis rosea .
- 2) Pityriasis rubra pilaris .
- 3) Psoriasis .
- 4) Vitiligo .
- 28) Specific skin lesion in scabies is ?
- 1) Burrow
- 2) Wheal
- 3) Comedone
- 4) Depigmented macule





- 29) Volcano sign is seen in ?
- 1) - Leprosy .
 - 2) + Leishmaniasis .
 - 3) - Lupus vulgaris .
 - 4) - DLE .
- 30) What is the most probable diagnosis of a child who presents with white umbilicated lesions on his face ?
- 1) + Molluscum contagiosum .
 - 2) - Herpes simplex infection .
 - 3) - Erythema neonatorum .
 - 4) - Human papilloma virus infection .
- 31) Ulcerative nodule on the face for 3 months . What is the first line of Parenteral therapy for this infection?
- 1) - Amphotericin B
 - 2) + Pentavalent antimony
 - 3) - Fluconazole
 - 4) - Ceftriaxone
- 32) All of the following are signs of acute form of this condition except ?
- 1) - Redness and swelling
 - 2) - Papules , vesicles and large blisters
 - 3) - Exudation
 - 4) + Lichenification
- 33) 18 . malignant transformation may increase with which form of lichen planus ?
- 1) - Atrophic form
 - 2) - Hypertrophic form
 - 3) + Mucosal ulcerative form
 - 4) - Follicular form
- 34) 17 . What is type of onychomycosis most likely associated of HIV infection?
- 1) - White Superficial
 - 2) + Proximal Subungual
 - 3) - Distal Subungual Onychomycosis
 - 4) - Total Dystrophic Onychomycosis
- 35) 15 . All of the following viral causes of skin rash except ?
- 1) - Erythema infectiosum
 - 2) + Scarlet fever
 - 3) - Chickenpox
 - 4) - Measles
- 36) All of the following are true according pityriasis rosea except ?
- 1) - May causes by human herpes virus type 6 or 7
 - 2) - initial single with herald patch
 - 3) + Positive Auspitz sign
 - 4) - Christmas tree pattern
- 37) (auspitz sign) is positive in ?
- 1) - Lichen planus
 - 2) - Erythema multiform
 - 3) + Psoriasis
 - 4) - Pemphigus vulgaris
- 38) 14 . All of the following suspected associated diseases of alopecia areata except ?
- 1) - Diabetic mulitas type 1
 - 2) - Autoimmune thyroiditis
 - 3) - Pernicious anemia





- 4) Fungal infection
- 39) True about the lichen planus ?
- 1) Polygonal violaceous papule .
 - 2) Affect skin and mucous membranes .
 - 3) Are pruritic .
 - 4) All the above .
- 40) Painless ,Single , indolent , round or oval indurated ulcer on penial shaft seen in?
- 1) Primary syphilis
 - 2) Secondary syphilis
 - 3) Tertiary syphilis
 - 4) Congenital syphilis
- 41) Spaghetti and meat ball appearance is seen in ?
- 1) Pityriasis rosea .
 - 2) Tinea capitis .
 - 3) Tinea corporis
 - 4) Tinea versicolor
- 42) Miliaria arises from obstruction of ?
- 1) Eccrine sweat glands .
 - 2) Apocrine sweat glands.
 - 3) Sebaceous glands .
 - 4) Ectopic sebaceous glands
- 43) Wheal is specific primary lesion of any disease ?
- 1) Acne vulgaris
 - 2) Urticaria
 - 3) Lichen planus
 - 4) Syphilis
- 44) It is the dried fluid ?
- 1) Scale
 - 2) Crust
 - 3) Lichenification
 - 4) Ulcer
- 45) All are major criteria of this condition except ?
- 1) Itching
 - 2) Family history
 - 3) Xerosis
 - 4) Chronicity and recurrence.
- 46) Vulgaris means:
- 1) Serious.
 - 2) Common.
 - 3) Easily treated.
 - 4) All of the above.
- 47) Which among the following is the most superficial layer of skin:
- 1) Stratum corneum
 - 2) Stratum basale
 - 3) Stratum granulosum
 - 4) Stratum spinosum
- 48) Characteristic feature of atopic dermatitis is:
- 1) Pruritus
 - 2) Dennie's Lines





- 3) - Scalling skin (Lichenification)
4) - Rashes
- 49) Commonest fungal infection of the female genitalia in diabetes is:
1) - Cryptococcal
2) - Madura mycosis
3) + Candidial
4) - Aspergellosis
- 50) Hyperhidrosis means:
1) + Excessive sweating.
2) - No sweating
3) - Loss of hair
4) - Excessive hair growth
- 51) Pediculosis captitis most common in :
1) - Adult
2) + Boys
3) - Girls
4) - Dogs
- 52) Most common type of cutaneous T.B. is:
1) + Lupus vulgaris
2) - Scrofuloderma
3) - T.B. verruca cutis
4) - Erythema induratum
- 53) Multibacillary leprosy is treated by:
1) - Dapsone alone
2) - Dapsone and rifampicin
3) + Rifampicin + dapsone + clofazimine
4) - Rifampicin + clofazimine
- 54) Lepromin test is positive in which leprosy:
1) - Lepromatous
2) - Indeterminate
3) - Histoid
4) + Tuberculoid
- 55) A patient presented with multiple nodulocystic lesions on the face. The drug of choice is :
1) + Retinoids
2) - Antibiotics
3) - Steroids
4) - UV light
- 56) Melasma seen during pregnancy is on:
1) + Face
2) - Trunk
3) - Lower limb
4) - Back
- 57) 24.The test likely to help in diagnosis of a patient who presents with an itchy annular plaque on the face is:
1) - Gram's stain
2) + Potassium hydroxide mount
3) - Tissue smear
4) - Wood's lamp examination
- 58) Viral skin diseases are all except:
1) - Herpes simplex





- 2) - Herpes Zoster
3) - Molluscum contagiosum
4) Cellulitis
- 59) Treponema pallidum is the cause of
1) Syphilis
2) - Tinea corporis
3) - Wart
4) - Pediculosis
- 60) Systemic corticosteroids may be required in the treatment of
1) - Fungal infection
2) - Wart
3) Pemphigus vulgaris
4) - Pediculosis
- 61) Which of the following cells are not found in the epidermis:
1) - Melanocyte
2) Fibroblast
3) - Keratinocyte
4) - Langerhan cell
- 62) The primary function of langerhan cell in the skin is
1) - Pigmentation
2) - Sensation
3) Immune response
4) - Structural support
- 63) Bullous pemphigoid can present as except:
1) - Urticarial plaques
2) Flaccid bullae
3) - Tense Bulla
4) - Haemorrhagic bullae on flexors of limbs
- 64) The skin appendages include all of the following EXCEPT:
1) - Sebaceous glands.
2) - Eccrine sweat glands.
3) Melanocytes.
4) - Apocrine sweat glands.
- 65) Alopecia areata may be treated by
1) - Corticosteroids.
2) - Dinitrochlorobenzene.
3) - PUVA.
4) All of the above
- 66) Koebner's phenomenon is positive in all of the following EXCEPT:
1) - Warts.
2) - Psoriasis.
3) - Lichen planus.
4) Eczema.
- 67) Leonine facies may occur in:
1) - Tuberculoid leprosy.
2) - Indeterminate leprosy.
3) Lepromatous leprosy.
4) - Borderline leprosy
- 68) What is the rule of androgens in the pathogenesisi of acne





- 1) - Decrease Keratinization
 - 2) + Increase sebum production
 - 3) - Decrease sebum production
 - 4) - Increase Keratinization
- 69) In herpes simplex, all is true except:
- 1) - a. The primary lesion is a vesicle.
 - 2) + b- Neuralgia is a frequent complication.
 - 3) - c- It usually affects the mucocutaneous junction.
 - 4) - d- It may cause eczema herpeticum in atopics
- 70) Griseofulvin may be used in the treatment of:
- 1) - Oral thrush.
 - 2) - Tinea versicolor.
 - 3) + Tinea capitis.
 - 4) - Interdigital monilia

