



قائمة الاسئلة

باطنية عامة - ()- المستوى الرابع - قسم - كلية العلوم التطبيقية - الفترة الأولى - درجة الامتحان (70)

د / وفاء عتيق

- 1) A Chamber that connects the Colon to the Anus is
1) - a. Cecum
2) - b. Ileum
3) + c. Rectum
4) - d. Jejunum
- 2) Which Part prevent Bolus to pass into Wind pipe
1) - a. Pharynx
2) + b. Epiglottis
3) - c. Esophagus
4) - d. Tongue
- 3) All of the following are Treatment of Achalasia , except :
1) - a. Botox
2) - b. Esophagomyotomy
3) - c. Dilation of eosophagus
4) + d. Antibiotics
- 4) Out-Pouching of the esophageal wall , is
1) - a. Hiatal hernia
2) + b. Diverticulum
3) - c. GERD
4) - d. Achalasia
- 5) All of the following are Clinical Manifestations of esophageal Cancer , except
1) - a. Dysphagia
2) - b. Odynophagia
3) + c. Halitosis
4) - d. Progressive weight loss
- 6) All of the following are Treatment of Gastritis , except :
1) - a. PPI
2) + b. Aspirin
3) - c. Avoid caffeine
4) - d. Antibiotics
- 7) All of the following are Causes of Gasteroenteritis , except :
1) + a. Smoking
2) - b. Chemical
3) - c. Bacteria
4) - d. drugs
- 8) All of the following are Symptoms of Crohn's disease , except :
1) + a. heart burn
2) - b. Abdominal pain
3) - c. Diarrhea
4) - d. Rectal abscess
- 9) Type of Inguinal Hernia is
1) - a. Incisional
2) + b. Indirect
3) - c. Gluteal
4) - d. Umbilical





- 10) Dilated Veins in the Lower Portion of Rectum is
- 1) - a. Varicose vein
 - 2) - b. Fissure
 - 3) + c. Hemorrhoids
 - 4) - d. Polyp
- 11) All of the following are Methods of Surgical Management of Fistula, except :
- 1) - a. Fistulotomy
 - 2) - b. Seton technique
 - 3) + c. Lat. Sphincterotomy
 - 4) - d. LIFT procedure
- 12) All of the Following are Risk Factors of Renal Failure , except :
- 1) - a. Chronic infection
 - 2) - b. Urinary obstruction
 - 3) - c. Inflammatory disease
 - 4) + d. Peritonitis
- 13) All of the following are Clinical Feature of Hypertensive Nephrosclerosis , except :
- 1) - a. Headache
 - 2) - b. Proteinuria
 - 3) - c. Giddiness
 - 4) + d. Hematuria
- 14) One of the following is a Treatment of UTI
- 1) - a. Haemodialysis
 - 2) - b. Transplantation
 - 3) + c. Antibiotics
 - 4) - d. Steriod
- 15) All of the following are Risk Factors Cause Bed Sore , except :
- 1) - a. Friction
 - 2) - b. Malnutrition
 - 3) + c. Early mobilization
 - 4) - d. Urinary incontinence
- 16) All of the following are Medical Treatment of Bed Sore m except :
- 1) - a. Surgical repair
 - 2) - b. Tissue flap
 - 3) + c. Changing position
 - 4) - d. Hyperbaric oxygen
- 17) Accessory Organs of Digestive System all of the following , except :
- 1) - a. Pancrease
 - 2) - b. Liver
 - 3) - c. Gall bladder
 - 4) + d. Stomach
- 18) The Majority of Absorption take place in
- 1) + a. Jejunum
 - 2) - b. Duodenum
 - 3) - c. Ileum
 - 4) - d. Cecum
- 19) All of the following are Causes of GERD , except :
- 1) - a. Hiatal hernia
 - 2) + b. NSAID
 - 3) - c. Esophagitis





- 4) - d. Sliding hernia
- 20) All of the following are Clinical Manifestations of Zenker's Diverticulum , except :
1) - a. Fullness in neck
2) + b. Heart burn
3) - c. Halitosis
4) - d. Throat discomfort
- 21) All of the following are Risk Factors of Acute Gastritis , except :
1) - a. NSAIDs
2) - b. Alcohol
3) - c. Kidney failure
4) + d. Acid reflux
- 22) The Most Common Type of Gastric Ulcer is :
1) - a. Type 3
2) - b. Type 2
3) + c. Type 1
4) - d. Type 4
- 23) All of the following are Causes of Ulcerative Colitis , except :
1) + a. Alcohol consumption
2) - b. Environmental factors
3) - c. Immunologic imbalance
4) - d. Genetic predisposition
- 24) All of the following are Clinical Feature of Appendicitis , except :
1) - a. Anorexia
2) - b. Vomiting
3) + c. Haematemesis
4) - d. Abdominal pain
- 25) All of the following are Diagnostic Test for Peritonitis , except :
1) - a. Blood test
2) - b. Paracentesis
3) + c. Endoscopy
4) - d. Abd.X-ray
- 26) Abnormal connection between two Epithelium lined organ is
1) - a. piles
2) + b. Fistula
3) - c. Fissure
4) - d. Prolpse
- 27) All of the following are Symptoms of Anal fissure , except :
1) - a. Bleeding
2) + b. Prolpse
3) - c. Pain
4) - d. Itching
- 28) All of the following are Treatment of Renal Failure , except :
1) - a. Hemodialysis
2) - b. Peritoneal dialysis
3) + c. Antibiotics
4) - d. Transplant
- 29) All of the following Conditions increases Risk of UTI , except :
1) - a. Diabetes
2) + b. Hypertension





- 3) - c. Obstruction urin flow
4) - d. Pregnancy
30) All of the following are Treatment of Kidney Stones , except
1) + a. Transplantation
2) - b. Plenty of water
3) - c. ESWL
4) - d. Cystoscopy
31) Stage 1 Bed Sore involve all of the following , except
1) - a. Intact skin
2) + b. Involves dermis
3) - c. Erythema
4) - d. Pain
32) All of the following are Complications of Bed Sore , except
1) - a. Cancer
2) - b. Cellulitis
3) - c. Sepsis
4) + d. Blister formation
33) All of the following are Symptoms of Esophagitis , except
1) + a. Allergy
2) - b. Nausea
3) - c. Chest pain
4) - d. Heart burn
34) Protrusion of Organ through Oesophageal Opening is :
1) - a. Achalasia
2) - b. GERD
3) + c. Hiatal hernia
4) - d. Oesophageal mass
35) A Kidney is Surgically placed into the Renal Failure Pt. is
1) - a. Hemodialysis
2) + b. Transplant
3) - c. Peritoneal dialysis
4) - d. Peritonitis

