



قائمة الاسئلة

ophthalmology mcq (10 degrees) - third year nursery

dr.ibrahim oshaish - dr yahia algassaly

- 1) number of extraocular muscles moving the eye
 - 1) - 3
 - 2) - 4
 - 3) - 5
 - 4) 6
- 2) anterior chamber of the eye is found between the
 - 1) cornea and iris
 - 2) - cornea and lens
 - 3) - iris and lens
 - 4) - cornea and retina
- 3) all the following muscles are supplied by third cranial nerve (oculomotor nerve) except
 - 1) - medial rectus muscle
 - 2) - inferior rectus muscle
 - 3) superior oblique muscle
 - 4) - superior rectus muscle
- 4) corneal layers are
 - 1) - 3 layers
 - 2) - 4 layers
 - 3) 5 layers
 - 4) - 6 layers
- 5) bony orbit is formed of
 - 1) 4 walls
 - 2) - 5 walls
 - 3) - 6 walls
 - 4) - 7 walls
- 6) snellen chart is used to examine
 - 1) visual acuity
 - 2) - iop
 - 3) - muscle motility
 - 4) - retina
- 7) the ocular adnexa includes
 - 1) - eyelid
 - 2) - conjunctiva
 - 3) - lacrimal system
 - 4) all answers are true
- 8) about conjunctiva which statement is true
 - 1) - the conjunctiva is avascular structure
 - 2) - bulbar conjunctiva lines the eyelid
 - 3) fornix forms the junction between the bulbar and palpebral conjunctiva
 - 4) - palpebral conjunctiva covers the cornea
- 9) about stye which statement is true
 - 1) - it is a granuloma
 - 2) the internal styes are due to the infection of meibomian gland
 - 3) - the external styes are due to the infection of meibomian gland
 - 4) - painless





- 10) conjunctivitis
- 1) - viral conjunctivitis associated with preauricular lymphadenopathy
 - 2) - allergical conjunctivitis discharge is watery with stingy white mucus
 - 3) - bacterial conjunctivitis discharge is purulent or mucopurulent
 - 4) all answers are true
- 11) most common in female
- 1) myopia
 - 2) - hypermetropia
 - 3) - astigmatism
 - 4) - all answer are traue
- 12) all the following are refractive errors except
- 1) glaucoma
 - 2) - compound astigmatism
 - 3) - simple astigmatism
 - 4) - irrigular astigmatism
- 13) all the following are treatment of myopia except
- 1) - lasik
 - 2) - glasses
 - 3) keratoconus
 - 4) - contact lens
- 14) the most common type of refractive error is
- 1) - astigmatism
 - 2) - hypermetropia
 - 3) - presbyopia
 - 4) myopia
- 15) what is a cataract
- 1) obacity of the lens
 - 2) - double vision
 - 3) - cancer in the eye
 - 4) - optic disc atrophy
- 16) what cause cataract
- 1) - aging
 - 2) - diabetes
 - 3) - trauma
 - 4) all answers are true
- 17) indirect ophthalmoscop used for examination of
- 1) fundus (retina)
 - 2) - cornea
 - 3) - eyelid
 - 4) - nasolacrimal duct
- 18) which instrument used to open eyelids during surgery
- 1) - castroviejo caliper
 - 2) - chalazion clamp
 - 3) ophthalmic speculum
 - 4) - colibri forceps
- 19) which instrument used to open and dilate lacrimal punctum
- 1) punctal dilatr
 - 2) - punctal probe
 - 3) - colibri forceps





- 4) - ophthalmic speculum
- 20) 10 years old child come to emergency complain of right eye trauma with mild right eye hyphema
- 1) - hyphema mean anterior chamber pus
 - 2) - should be cleaned surgically
 - 3) + intraocular pressure should be managed and followed
 - 4) - hyphema is not cleaned spontaneously

