



قائمة الاسئلة 2025-05-17 05:26

علم التشريح التطبيقي - () - المستوى الثاني - قسم اشعة - كلية العلوم الطبية التطبيقية - الفترة الأولى - درجة الامتحان (40)

أ.د. صلاح عبدالخالق المعرشي

- 1) 1. All the following main blood supply of pancreas except:
 - 1) ☒ A. inferior pancreatic duodenal
 - 2) ☐ B. superior pancreatic duodenal
 - 3) ☐ C. greater pancreatic artery
 - 4) ☐ D. artery splenic
- 2) 2-The spleen is located in the left side deep to:
 - 1) ☐ A. 7,8 and 9 ribs
 - 2) ☐ B. 10 rib
 - 3) ☒ C. 9,10 and 11 ribs
 - 4) ☐ D. None of above
- 3) 3-What is the main part of the kidney responsible for blood filtration:
 - 1) ☐ A. Ureter
 - 2) ☒ B. Glomerulus
 - 3) ☐ C. Bladder
 - 4) ☐ D. Urethra
- 4) 4-All the following about large intestine is true except:
 - 1) ☐ A. Has more diameter
 - 2) ☐ B. Has taenia coli
 - 3) ☒ C. Has villi
 - 4) ☐ D. Has appendices epiploicae
- 5) 5-Which artery supplies blood to the head of the pancreas:
 - 1) ☐ A. Left gastric artery
 - 2) ☒ B. Celiac artery
 - 3) ☐ C. Splenic artery
 - 4) ☐ D. Superior mesenteric artery
- 6) 6-The ligament that attached the hilum of spleen to the greet curvature of stomach:
 - 1) ☐ A. Gastrosplenic ligament
 - 2) ☒ B. Lienorenal ligament
 - 3) ☐ C. Splenorenal ligament
 - 4) ☐ D. Gastrohepatic ligament
- 7) 7-Gallbladder attached to the liver by:
 - 1) ☒ A. epithelial tissue
 - 2) ☐ B. nervous tissue
 - 3) ☐ C. loose connective tissue
 - 4) ☐ D. Muscle tissue
- 8) 8-Great part of large intestine is:
 - 1) ☒ A. Fixed
 - 2) ☐ B. Mobile
 - 3) ☐ C. All of the above
 - 4) ☐ D. None of the above
- 9) 9-Which of the following passes through foramen lacerum:
 - 1) ☒ A. Carotid artery from posterior wall
 - 2) ☐ B. middle meningeal artery
 - 3) ☐ C. internal jugular vein
 - 4) ☐ D. Infra orbital nerve



- 10) 10-The pancreatic islets are also known as:
- 1) - A. Acini
 - 2) ☒ B. Islets of Langerhans
 - 3) - C. Ducts of wirsung
 - 4) - D. Lobes of the pancreas
- 11) 11-The left colic flexure is related to the spleen:
- 1) - A. Anteriorly
 - 2) - B. Posteriorly
 - 3) - C. Medially
 - 4) ☒ D. Inferiorly
- 12) 12-All the surfaces of liver are more or less continuous with each other and separated from one another by ill-defined except:
- 1) ☒ A. The inferior border
 - 2) - B. The anterior border
 - 3) - C. The superior border
 - 4) - D. The posterior border
- 13) 13-Which of the following is not a primary function of the stomach
- 1) - A. Storing food
 - 2) - B. Secreting digestive enzymes
 - 3) ☒ C. Absorbing nutrients primarily
 - 4) - D. Mixing food with gastric juice
- 14) 14-The portal vein is form by joining of:
- 1) - A. Splenic vein and superior mesenteric artery
 - 2) ☒ B. Splenic vein and superior mesenteric vein
 - 3) - C. Hepatic vein and superior mesenteric vein
 - 4) - D. Superior and inferior mesenteric veins
- 15) 15-Which ribs are associated with the spleen:
- 1) - a) 7 to 9
 - 2) - b) 8 to 10
 - 3) ☒ c) 9 to 11
 - 4) - d) 10 to 12
- 16) 16-The spleen is covered by peritoneum except at the:
- 1) - a) Superior border
 - 2) - b) Inferior border
 - 3) ☒ c) Hilum
 - 4) - d) Anterior surface
- 17) 17-The spleen develops from the:
- 1) - a) Dorsal mesentery
 - 2) - b) Ventral mesentery
 - 3) ☒ c) Dorsal mesogastrium
 - 4) - d) Ventral mesogastrium
- 18) 18-The two main components of the spleen are:
- 1) - a) Capsule and parenchyma
 - 2) ☒ b) White pulp and red pulp
 - 3) - c) Cortex and medulla
 - 4) - d) Follicles and sinuses
- 19) 19-Which part of the spleen is primarily lymphatic tissue:
- 1) - a) Red pulp
 - 2) ☒ b) White pulp



- 3) - c) Splenic cords
4) - d) Venous sinusoids
- 20) 20-What is the primary function of the white pulp:
1) - a) Blood filtration
2) + b) Immune response
3) - c) Red blood cell storage
4) - d) Platelet storage
- 21) 21-Iron-free heme is metabolized to:
1) + a) Bilirubin
2) - b) Biliverdin
3) - c) Hemoglobin
4) - d) Iron oxide
- 22) 22-Which of the following substances is not typically filtered from the blood by the kidney: A) Water
1) - B) Glucose
2) + C) Large proteins
3) - D) Salts
- 23) 23-Which part of the kidney contains the glomeruli:
1) - A) Medulla
2) + B) Cortex
3) - C) Pelvis
4) - D) Ureter
- 24) 24-Why is it important to have regular kidney check-ups:
1) - A) Early detection of any issues
2) - B) Preventing disease progression
3) - C) Maintaining kidney health
4) + D) All of the above
- 25) 25-Hartmann's pouch is located in the:
1) - A. Inferomedial wall of the neck
2) - B. Medioposterial wall of the neck
3) + C. Posteromedial wall of the neck
4) - D. Posterior wall of the neck
- 26) 26-Cystic artery supplies the:
1) + A. Hepatic duct
2) - B. Lower part of the bile duct
3) - C. Middle part of the bile duct
4) - D. None of the above
- 27) 27-The length of the first part of duodenum:
1) - A. 25cm/10inches
2) + B. 5cm/2inches
3) - C. 5.7cm/3inches
4) - D. None of the above
- 28) 28-The visceral relations of the 3ed part of duodenum from superiorly is:
1) - A. Right psoas major
2) - B. Root of mesentery
3) - C. Coils of jejunum
4) + D. Head of pancreas
- 29) 29-All the following is lymphatic drainages of the Duodenum except:
1) - A. Hepatic node Lacteals drain into plexuses
2) + B. C. Coeliac nodes



- 3) - D. Superior mesenteric nodes
- 30) 30-The place of taenia libra is To large intestine:
- 1) - A. Posteromedially
- 2) + B. Anteriorly
- 3) - C. Posterolaterally
- 4) - D. Posteriorly
- 31) 31-All about the right 2/3 of transverse colon is true except:
- 1) - A. Its position is descending to the bill umbilicus region
- 2) - B. Its arterial supply by middle colic branch of the superior mesenteric artery
- 3) - C. Its nerve supply from the vagus
- 4) + D. It develops from hind gut
- 32) 32-Which of the following is clinical anatomy of rectum:
- 1) + A. Rectal prolapse
- 2) - B. Fissure in ano
- 3) - C. Fatty liver
- 4) - D. All of the above
- 33) 33-The liver is surrounded from the anterior surface by, and from the inferior surface by
- 1) + A. Mesentery, Hepatic flexure
- 2) - B. Mesentery, Pyloric of stomach
- 3) - C. Hepatic flexure, Mesentery
- 4) - D. Pyloric of stomach, Mesentery
- 34) 34-The liver receives nerve supply from the:
- 1) - A. Coeliac plexus
- 2) - B. Vagal nerve
- 3) + C. Hepatic nerve plexuses
- 4) - D. None of the above
- 35) 35-The lymphatic drainage in the liver is concentrated in two places which they are: and terminate in caval
- 1) + A. Superficial and deep
- 2) - B. Inferior of the peritoneum
- 3) - C. End of inferior vena cava
- 4) - D. None of the above
- 36) 36-Which one of the following it has the same length with bile duct:
- 1) - A. Cystic duct
- 2) - B. Hepatic duct
- 3) + C. Portal vein
- 4) - D. A and B
- 37) 37-When the pancreatic duct and bile duct is union they form an opening caued, and this opening drains into
- 1) - A. Hepatic duct, Minor papilla papilla
- 2) + B. Ampulla of vater, Major
- 3) - C. Ampulla of vater. Minor papilla
- 4) - D. Minor papilla, Major papilla
- 38) 38-Which nerve is responsible for sensation of larynx:
- 1) + A. Internal laryngeal
- 2) - B. Right recurrent
- 3) - C. External laryngeal
- 4) - D. Left recurrent
- 39) 39-It starts at the level of T4:
- 1) + A. Larynx



- 2) - B. Lungs
3) - C. Pharynx
4) - D. Trachea
- 40) 40-Peptic ulcer is caused by:
- 1) - A. HCL
2) - B. Bacteria
3) + C. Pepsin
4) - D. Virus

